


Enclosures for three-phase transformers, horizontal mounted design

LG3-23





Technical data:	
Protection degree	IP 23
Colour	Standard - RAL 7032. Other colours on request
Cable outlets	In standard design cables are taken out via gland seals placed in front wall of the enclosure.

Enclosures LG3-23 are designed for mounting of three-phase transformers with rated power up to 16,0 KVA.

They are prepared for mounting on horizontal surfaces. They are made of steel sheet and have powder coating.

These casings can be equipped with indicators of duty cycle, sockets, breakers, fuses and overload protecting switches.



Enclosures for three-phase transformers ET3S i ET3o

Type	Power range min-max [kVA]	L [mm]	B [mm]	H [mm]	d [mm]	e [mm]	f [mm]	Weight [kg]
LG3-23 - 150S *	up to 0,9	200	220	260	160	180	9	4,3
LG3-23 - 150L *	up to 0,9	240	220	160	200	180	9	4,1
LG3-23 - 200S *	1,00 - 2,50	250	320	300	210	280	9	7,2
LG3-23 - 200L *	1,00 - 2,50	350	340	230	310	300	9	9,2
LG3-23 - 250S *	2,00 - 5,00	320	350	340	250	310	9	10,3
LG3-23 - 250L *	2,00 - 5,00	390	380	250	320	340	9	10,7
LG3-23 - 300S *	4,00 - 10,0	320	420	390	250	380	9	13,1
LG3-23 - 300L *	4,00 - 10,0	450	460	250	380	420	9	13,4
LG3-23 - 350S *	7,50 - 16,0	400	480	440	330	440	9	17,9
LG3-23 - 350L *	7,50 - 16,0	500	520	310	430	480	9	17,8

You may negotiate the special designs as well as casings for other powers when placing an order

*) S - for standing (vertical) design of transformers
L - for lying (horizontal) design of transformers

Note:

Power ranges assigned to the types of enclosures overlap each other due to the large diversity of the transformer dimensions transformers depending on the specific technical data (voltage, current rating, the type of receiver)
The manufacturer reserves the right to make changes resulting from the continuous development of the product offered
Other designs of casings can be delivered after mutually settlement

Manufacturer: **ELHAND TRANSFORMATORY Sp. z o.o.**
PL 42-700 Lubliniec, ul. Klonowa 60
tel.: (34) 34 73 100, fax: (34) 34 70 207
<http://www.elhand.pl> e-mail: info@elhand.pl



EO/2014/X/03